opentext™



d w u
c dd
m h with
se antic etadata


u by connecting ore efficiently to desired infor ation

, B c cw wq u , w , k ydh bf

o en

ا من العالم	
energy and the second	Identifies meaningful terms and noun and verb phrases from documents, using algorithms to extract core concepts
.,, , ., . , (. ER)	Locates and extracts places, people, organizations and anything else with a name
T. I ssf	Indexes and sorts documents by classification and identifies relevancies
	Analyzes concepts and queries them against extensible models and knowledge bases to create document profiles according to a defined taxonomy
T. su, , z	Identifies key sentences in a document and uses them to create a summary, liberating staff from an otherwise manual chore
S., , , , , , , , , ,	Detects whether a document or even a sentence expresses a negative, positive, or neutral connotation, is objective or opinion-based, and to what degree it expresses anger, anticipation, disgust, fear, joy sadness, surprise and trust
L, , u, , D, , ,	Finds the language of text or paragraphs within text.

out to our oll our	
M. II. T. M. sur, s.s.s l. u. s u. I l. u. , .ss	Arabic, Chinese, Dutch, English, French, German, Hebrew, Italian, Japanese, Portuguese and Spanish
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Bulgarian, Catalan, Croatian, Czech, Danish, Estonian, Finnish, Greek, Hungarian, Irish, Icelandic, Latvian, Lithuanian, Norwegian, Persian, Polish, Romanian, Russian, Slovak, Slovene, Swedish, Turkish, Ukrainian and Vietnamese



OpenText agellan Text ining

opentext™

M	Dravidos a grawing collection of DEST Able that extract and enrich understand
M.I.s.,.s	Provides a growing collection of REST APIs that extract and enrich unstructured content with semantic metadata and support modeling. Users can create and manage custom taxonomy and authority files, then train and benchmark classification models and/or rules for them and use the modeling services to customize the provided semantic annotations based on business requirements.
. L s , , s	Enables users to access, extract and process content from supported content repositories. These crawlers include native and direct connectors into OpenText EIM solutions, such as OpenText [™] Content Server, OpenText Documentum [™] , OpenText Media Manager, OpenText Archive Center, OpenText InfoArchive, OpenText Tempo Box, OpenText Tempo Box, OpenText eDOCS and a generic CMIS connector. Crawlers that reach directly into popular third-party tools, such as Box, Dropbox, Gmail [™] , Google Drive [™] , IBM* FileNet*, Microsoft* Exchange and SharePoint*, are readily available as add-ons.
, . S ,	Powers the core capabilities of Magellan Text Mining by leveraging classification trees within the models. This service enables content enrichment with categories/classification, named entities, sentiment and emotion analysis, and key concepts at the document, sentence or entity level.
M, III, T. M. Su	Offers a convenient, visually appealing user interface to control the content analysis process.
, . ss., . <u>l</u> , . s	Includes RDBMS, Hive, Apache Solr and Apache Spark w ROW BORDARD DITES. LIPPI